## **Qube 6.4-5 Release Notes**

@RELEASE: 6.4-5 ==== CL 11108 ==== @FIX: supe's built-in perl library's C++ host object to Perl hash conversion routine to properly include "properties", "stats", "reason", "locks", "flags", "flagsstring", "groups", "description", "jobtypes", "address", "macaddress", "lastupdate" @FIX: typo in Perl API's \_qb\_host\_hash() routine when converting the "description" field. ==== CL 11093 ==== @NEW: add various helper functions to qb.utils; addToSysPath(), getModulePath(), pyVerAsFloat(), formatExc() ==== CL 11067 ==== @FIX: timing issue where a subjob of an agenda-based job can be incorrectly left in the "blocked" or "pending" state even though there are no more agenda items to be processed. @INTERNAL: Checker code was added to the statusJob() routine to force the status to "complete" of such jobs. ZD: 9190 ==== CL 11066 ==== @INTEG:main>rel-6.4.rel-6.3.CL11024, CL11056, CL11057 This is a partial integration of CL11024,11056,andCL11057. Namely, the "const"-ness fix in the QbDatabase\* classes are being integrated into rel-6.3 and rel-6.4 so they will compile cleanly. Also, the change in the logging behavior (so that MySQL logs are timestamped) is integrated. ==== CL 11062 ==== @FIX: fixed unreliable "modify" behavior. Multiple modifies (for example, up then down) were behaving oddly. @CHANGE: added code to automatically retire pending/blocked/running jobs when "modify" reduces the "cpus" ("instances") count. ZD: 9205 @FIX: fixed a subtle off-by-one error in auto-retire code in assignJob() @FIX: patched a timing issue where the requestWork() handler can sometimes put a running subjob back to "pending" (because it's marked to be passively preempted) even if there are no more agenda items left to process. ZD: 9132 ==== CL 11054 ==== @CHANGE: made all error messages from the QbDatabaseMySQL class prints with a timestamp. @FIX: fixed return data type of qb.submit() to be a list of job objects ZD: 9314 ==== CL 11008 ==== @FIX: issue where modifying a job to reduce the number of instances can sometimes incorrectly retire ALL instances. @FIX: control-characters in C4D Windows paths can break path translation, get evaluated as tabs/newLines/etc. This is due to C4D needing to be run via "start" instead of "cmd.exe /C" ==== CL 10963 ==== @FIX: random worker crash issue on Windows ZD: 8620 ==== CL 10934 ==== @FIX: suppress printing of "Malformed env in parsing" and environment listing when environment values are other than simple strings and "Query SQL" is enabled in the WranglerView prefs